

PRODUCT DESCRIPTION AND USES

Combo-Crete AG-11 Sacrificial Anti-Graffiti Coating is a water base emulsion that dries to a clear and non-yellowing matte finish that provides a temporary or sacrificial protective shield against graffiti damage caused by most spray paints and markers.

Combo-Crete AG-11

- is V.O.C. compliant
- is non-flammable
- for application to new or non-coated or painted masonry surfaces, an application of Combo-Crete Water Repellent is required as a first coat
- graffiti defacement is removed from AG-11 coated surfaces using low-pressure hot water to strip or melt the AG-11 from the surface
- AG-11 must be reapplied to stripped or cleaned surfaces to restore graffiti resistant protection.

Combo-Crete AG-11 is a temporary or sacrificial anti-graffiti coating. AG-11 may



Protect your Investment with covered!

be used to protect interior or exterior painted and unpainted surfaces, such as masonry, stucco and concrete. For application to new masonry, stucco or concrete surfaces, a first coat of Combo-Crete water repellent protection is required.

HOW TO USE

Prior to application, carefully inspect and or observe the installed work or other trades and verify that all such work is complete to the point where application may commence. All surfaces shall be clean, dry, structurally

sound, and free of dirt, grime, for oils, release agents, scale, laitance, efflorescence, mold, mildew and loose or peeling paint, etc. If any of these or similar conditions are present, proper bonding of the AG-11 could be impaired. All surfaces shall be cleaned using any approved method, including high-pressure water or abrasive blasting, chemical cleaning, acid etching or mechanical methods, such as wire brushing, scraping or sanding. If surfaces are acid washed, acid must be neutralized with an appropriate neutralizer solution - flushing with water is generally not sufficient.

New Masonry Surfaces

Treat new masonry and concrete surfaces with an application Combo-Crete water repellent prior to application of AG-11.

Painted Surfaces

Newly painted surfaces shall be allowed to fully cure according to the paint manufacturer's recommendations prior to the application of AG-11.

Caution: New or non-painted masonry and concrete surfaces require a first coat of Combo-Crete Water Repellent prior to the application of AG-11 Sacrificial Anti-Graffiti Coating.

Repair all cracks, voids, defects and damaged surfaces using proper materials. All surfaces shall be structurally sound.

Combo-Crete AG-11 is best and most economically applied using commercial airless spray equipment set at moderate pressures using a tip of .013 to .021 depending on surface type to be coated.

Apply Combo-Crete AG-11 Water Repellent to all masonry and concrete surfaces. Follow manufacturer's recommendations and instructions for material application. AG-11 is supplied ready to use. DO NOT THIN. Mix or stir contents prior to use.

Applications:

- Dense Masonry
- Porous Masonry
- Horizontal Surfaces
- Vertical Surfaces
- Painted Surfaces
- Metal Surfaces
- Wood Surfaces

Features and Benefits:

- Protective sacrificial coating against graffiti damage
- Dries to a clear and non-yellowing matte finish
- Affordable and low cost graffiti protection
- Graffiti removal using low-pressure hot water
- Water base and V.O.C. compliant
- Non-flammable and non-toxic
- Ready to use - no component mixing
- Use on interior and exterior surfaces
- Use on painted surfaces

